



THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE APPROVAL GRANTED<sup>(4)</sup>/ APPROVAL EXTENDED<sup>(1)</sup>/  
APPROVAL REFUSED<sup>(4)</sup>/ APPROVAL WITHDRAWN<sup>(4)</sup>/ PRODUCTION DEFINITELY  
DISCONTINUED<sup>(4)</sup> OF A TYPE OF MECHANICAL COUPLING DEVICE OR COMPONENT,  
PURSUANT TO REGULATION NO 55.01



Approval No: 55R-010380

Extension No: 02

1. Trade name or mark of the device or component: SAF-HOLLAND, HOLLAND or SAF
2. Manufacturer's name for the type of device or component: 101.22.2
3. Manufacturer's name and address:  
SAF-Holland GmbH  
Julius-Bührer-Straße 12  
D-78224 Singen  
Germany
4. If applicable, name and address of the manufacturer's representative: Not applicable
5. Alternative supplier's names or trade marks applied to the device or component: Not applicable
6. Name and address of company or body taking responsibility for the conformity of production:  
Same as 3.
7. Submitted for approval on: As before and 13 February 2015
8. Technical service responsible for conducting approval tests: TÜV SÜD Auto Service GmbH



9. Brief description: Non-standard mounting plate

9.1. Type and class of device or component: 101.22.2, J

9.2. Characteristic values:

9.2.1. Primary values:

D: 162.4 kN      Dc..... kN      S..... kg

U: 22 tonnes      V..... kN

Alternative values:

D..... kN      Dc..... kN      S..... kg

U.....tonnes      V..... kN

9.3. For Class A mechanical coupling devices or components, including towing brackets: Not applicable

Vehicle manufacturer's maximum permissible vehicle mass:      kg

Distribution of maximum permissible vehicle mass between the axles:

Vehicle manufacturer's maximum permissible towable trailer mass:      kg

Vehicle manufacturer's maximum permissible static mass on coupling ball:      kg

Maximum mass of the vehicle, with bodywork, in running order, including coolant, oils, fuel, tools and spare wheel (if supplied) but not including driver:      kg

Loading condition under which the tow ball height of a mechanical coupling device fitted to category M<sub>1</sub> vehicles is to be measured -see paragraph 2 of annex 7, appendix 1:

9.4. For class B coupling heads, is the coupling head intended to be fitted to an unbraked O<sub>1</sub> trailer  
YES/NO Not applicable

10. Instructions for the attachment of the coupling device or component type to the vehicle and photographs or drawings of the mounting points given by the vehicle manufacturer: See manufacturer's documentation

11. Information on the fitting of any special reinforcing brackets or plates or spacing components necessary for the attachment of the coupling device or component: Not applicable

12. Additional information where the use of the coupling device or component is restricted to special types of vehicles - see annex 5, paragraph 3.4. Not applicable

13. For Class K hook type couplings, details of the drawbar eyes suitable for use with the particular hook type. Not applicable


14. Date of test report: As before and 13 February 2015
15. Number of test report: As before and 10-00658-CX-GBM Extension 07
16. Approval mark position: Type plate on the component
17. Reason(s) for extension of approval: To cover  
1) Further version  
2) Minor modification to the same drawings  
3) Make GF cancelled

18. Approval ~~GRANTED/EXTENDED/REFUSED~~WITHDRAWN <sup>(1)</sup>

19. Place: BRISTOL

20. Date: 18 MARCH 2015

21. Signature:



A. W. STENNING  
Head of Technical and Quality Support Group

22. The list of documents deposited with the Administration Service which has granted approval is annexed to this communication and may be obtained on request.

Any remarks: Approval to Supplement 3

(1) Strike out what does not apply.