



Technischer Hinweis Technical Details


SAF Zugsattelzapfen SAF King Pin



Nach der Demontage müssen bei der Neumontage die alten Schrauben immer gegen neue Original SAF-HOLLAND Schrauben ersetzt werden.

ZSZ-Größe		Drehmoment
2"	662 101 052 K	130 Nm
2"	662 101 109 K	190 Nm
2"	662 102 020 K	180 Nm
2"	662 102 022 K	530 Nm


3,5"	662 101 083 K	380 Nm
3,5"	662 101 169 K	190 Nm
3,5"	662 102 021 K	530 Nm
3,5"	662 102 023 K	180 Nm

ZSZ-Größe		Drehmoment
2"	50S15	200 Nm
2"	50S18	530 Nm
2"	50M15	200 Nm
2"	50MS15	130 Nm
2"	50S15 L	200 Nm
2"	50S18 L	530 Nm


3,5"	90S15	200 Nm
3,5"	90S18	530 Nm
3,5"	90M15	200 Nm
3,5"	90MS18	380 Nm
3,5"	90S15 L	200 Nm
3,5"	90S18 L	530 Nm



After deinstallation the old bolts must be replaced with new ones for new installation with original SAF-HOLLAND bolts.

ZSZ-Size		Torque
2"	662 101 052 K	130 Nm
2"	662 101 109 K	190 Nm
2"	662 102 020 K	180 Nm
2"	662 102 022 K	530 Nm

3,5"	662 101 083 K	380 Nm
3,5"	662 101 169 K	190 Nm
3,5"	662 102 021 K	530 Nm
3,5"	662 102 023 K	180 Nm

ZSZ-Size		Torque
2"	50S15	200 Nm
2"	50S18	530 Nm
2"	50M15	200 Nm
2"	50MS15	130 Nm
2"	50S15 L	200 Nm
2"	50S18 L	530 Nm

3,5"	90S15	200 Nm
3,5"	90S18	530 Nm
3,5"	90M15	200 Nm
3,5"	90MS18	380 Nm
3,5"	90S15 L	200 Nm
3,5"	90S18 L	530 Nm





**Notruf
Emergency hotline** +49 6095 301-247

**Kundendienst
Customer Service** +49 6095 301-602

**Geschäftsbereich
Aftermarket
Business Unit
Aftermarket** +49 6095 301-301

Fax +49 6095 301-494

originalparts@safholland.de

www.safholland.com

SAF-HOLLAND GmbH

Geschäftsbereich Aftermarket · Germanenstraße 30 · 63741 Aschaffenburg · Germany

www.safholland.com

