

VCA Headquarters I The Eastgate Office Centre Eastgate Road Bristol, BSS 6XX United Kingdom

Switchboard: +44 (0) 117 951 5151 Direct line: +44 (0) 117 952 Main Fax: +44 (0) 117 952 4103 enquiries@vca.gov.uk Web: www.vca.gov.uk

# THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

Rev 1/03

COMMUNICATION CONCERNING THE GRANTING OF EEC TYPE APPROVAL AS A COMPONENT OF MECHANICAL COUPLING DEVICES FOR MOTOR VEHICLES AND THEIR TRAILERS PURSUANT TO DIRECTIVE 94/20/EC OF 30 MAY 1994 (STU)

Type Approval No<sup>(1)</sup>: e11\*94/20\*0386\*01

# Reason(s) for Extension:

- Exchange of snap-hook type
- 2. New number of technical report

#### Section I

- Make (trade name of manufacturer): +GF+ 0.1 Type and general commercial description(s): 204, Slider 0.2 Means of identification of type if marked on the component(2): Make (trade name), type and 0.3 class 0.3.1 Location of that marking: Type plate on backwards movable slider Name and address of manufacturer: 0.5 Georg Fischer Verkehrstechnik GmbH Julius-Bührer-Str.16 78224 Singen / Hohentwiehl Germany In the case of components and separate technical units, location and method of affixing of the 0.7
- EEC approval mark: Type plate on backwards movable slider adhesive
- 0.8 Name(s) and address(es) of assembly plants: As section 0.5 above



#### Section II

- 1. Additional information (where applicable): See appendix I
- Technical service responsible for carrying out the tests: TÜV SUD Automotive GmbH
- Date of test report: As before and 23 October 2006
- Number of test report: As before and 06-00579-CX-CBM ext 01
- Remarks (if any): See appendix I
- Place: BRISTOL
- Date: 3 NOVEMBER 2005
- 8. Signature:

A. W. STENNING Head of Product Certification

 The index to the information package lodged with the competent authority that has granted type approval, which may be obtained on request, is attached.

EAG172785

- The EEC type approval number appearing on this document shall consist of all sections outlined in Annex VII to Directive 70/156/EEC as last amended by Directive 92/53/EEC. The component itself shall be marked as prescribed in the relevant separate Directive.
- (2) If the means of identification of type contains characters not relevant to describe the component types covered by this type approval certificate such characters shall be represented in the documentation by the symbol `?' (e.g. ABC??123??).



# APPENDIX I

to EEC Type Approval Certificate No: e11\*94/20\*0386\*01 concerning the component type-approval of mechanical coupling devices with regard to Directive 94/20/EC

1.	ADDITIONAL INFORMATION
1.1	Class of type of coupling: S, 204
1.2	Categories or types of vehicles for which the device is designed or restricted: N3
1.3	Maximum D-value: 162.4 kN
1.4	Maximum vertical load S at the coupling point: Not applicable
1.5	Maximum load U at the fifth wheel coupling point: 22000 kg
1.6	Maximum V-value: Not applicable
1.7	Instructions for attachment of the coupling type to the vehicle and photographs or drawing of the fixing points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles: See manufacturer's documentation
1.8	Information on the fitting of special towing brackets or mounting plates: Not applicable
5.	Remarks <sup>(1)</sup> : None

<sup>(1)</sup> Including information as to whether fifth wheel couplings are unsuitable for positive steering.





VCA Headquarters
I The Eastgate Office Centre
Eastgate Road
Bristol, BSS 6XX
United Kingdom

Switchboard: +44 (0) 117 951 5151

Direct line: +44 (0) 117 952

Main Fax: +44 (0) 117 952 4103

Email: enquiries@vca.gov.uk

Web: www.vca.gov.uk

APPROVAL NUMBER: e11\*94/20\*0386\*01

# INFORMATION PACKAGE CONTENTS

### INDEX

REVISION NUMBER: 1 (One)

Total number of sheets: 7 (Seven)

Number of separate drawings: 0 (Nil)

Number of separate photographs: 0 (Nil)

Reasons for Revision: See approval certificate

EAG172785

