



VCA Headquarters

1 The Eastgate Office Centre
Eastgate Road
Bristol, BS5 6XX
United Kingdom

Switchboard: +44 (0) 117 951 5151
Direct line: +44 (0) 117 952
Main Fax: +44 (0) 117 952 4103
Email: enquiries@vca.gov.uk
Web: www.vca.gov.uk

THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE GRANTING OF EEC TYPE APPROVAL OF AS A COMPONENT OF MECHANICAL COUPLING DEVICES FOR MOTOR VEHICLES AND THEIR TRAILERS PUSUANT TO DIRECTIVE 94/20/EC OF 30 MAY 1994 (STU)

Type Approval No: e11*94/20*0056*00

Reason(s) for Extension: Not applicable

Section I

0 GENERAL

0.1 Make(trade name of manufacturer): Holland Europe GmbH

0.2 Type and general commercial description(s): XA-E-32D Class J Mounting Plate

0.3 Means of identification of type if marked on the component: XA-E-1, XA-E-2, and XA-E-3 Series of Fifth Wheel Class J Mtg Plate

0.3.1 Location of that marking: Metal plate on rear tie plate

0.8 Name and address of manufacturer:

Holland Europe, GmbH
Altenkamp 9
Schloss Holte-Stukenbrock
D-33758 Germany


0.7 In the case of components and separate technical units, location and method of affixing of the EEC approval mark: Metal plate riveted to side of casting

0.8 Name(s) and address(es) of assembly plants:

Holland Europe, GmbH
Altenkamp 9
Schloss Holte-Stukenbrock
D-33758 Germany



Section II

1. Additional information (where applicable): see Appendix I
2. Technical service responsible for carrying out the tests: Vehicle Certification Agency
3. Date of test report: 28 April 2006
4. Number of test report: T50-0056-00
5. Remarks (if any): See Appendix I
6. Place: BRISTOL
7. Date: 1 MAY 2006
8. Signature:  A KUBINSKI
9. The index to the information package lodged with the competent authority that has granted type approval, which may be obtained on request, is attached.



APPENDIX I

to EEC Type Approval Certificate No: e11*94/20*0056*00

concerning the type-approval of a vehicle with regard to Directive 94/20/EC

1. ADDITIONAL INFORMATION
 - 1.1 Class of type of mounting plate: Class J mounting plate, for 50 mm kingpin (94/20/EC, DIN 74081 & ISO 337)
 - 1.2 Categories or types of vehicles for which the device is designed or restricted: refer to manufacturer's documentation
 - 1.3 Maximum D-value: 150 kN for
 - 1.4 Maximum vertical load S at the coupling point: N/A
 - 1.5 Maximum load U at the fifth wheel coupling point: 20 tonnes
 - 1.6 Maximum V-value: N/A
 - 1.7 Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles: refer to manufacturer's documentation
 - 1.8 Information on the fitting of special towing brackets or mounting plates: refer to manufacturer's documentation
5. Remarks⁽³⁾: Fifth wheel mounting plate is approved for use with trailers using steering wedges

US-06/0342

