



VCA Headquarters

1 The Eastgate Office Centre
Eastgate Road
Bristol, BS5 6XX
United Kingdom

Switchboard: +44 (0) 117 951 5151
Direct line: +44 (0) 117 952
Main Fax: +44 (0) 117 952 4103
Email: enquiries@vca.gov.uk
Web: www.vca.gov.uk

THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE GRANTING OF EEC TYPE APPROVAL AS A
COMPONENT OF MECHANICAL COUPLING DEVICES FOR MOTOR VEHICLES AND THEIR
TRAILERS PURSUANT TO DIRECTIVE 94/20/EC OF 30 MAY 1994 (STU)

Type Approval No⁽¹⁾: e11*94/20*0951*01

Reason(s) for Extension: To cover:


1. Modified make
2. Change of name of manufacturer
3. Adaptation of some drawings
4. Modified technical report number
5. Change of name of technical service

Section I

- 0.1 Make (trade name of manufacturer): +GF+, SAF, Holland, SAF Holland
- 0.2 Type and general commercial description(s): 101.40.4, mounting plate
- 0.3 Means of identification of type if marked on the component⁽²⁾: On manufacturer's plate
- 0.3.1 Location of that marking: Manufacturer's plate fixed in the center of the flat side of the mounting plate or embossed straight into the plate
- 0.5 Name and address of manufacturer:
SAF-Holland Verkehrstechnik GmbH
Julius-Bührer-Strasse
78224 Singen
Germany
- 0.7 In the case of components and separate technical units, location and method of affixing of the EEC approval mark: Manufacturer's plate fixed in the center of the flat side of the mounting plate or embossed straight into the plate
- 0.8 Name(s) and address(es) of assembly plants: As section 0.5 above



SECTION II

1. Additional information (where applicable): See Appendix I
 2. Technical service responsible for carrying out the tests: TÜV SÜD Automotive GmbH
 3. Date of test report: As before and 03 March 2010
 4. Number of test report: 10-00177-CX-GBM up to Ext 01
 5. Remarks (if any): See Appendix I
 6. Place: BRISTOL
 7. Date: 15 MARCH 2010
 8. Signature:  A. W. STENNING
Head of Technical and Quality Group
 9. The index to the information package lodged with the competent authority that has granted type approval, which may be obtained on request, is attached.
- (1) The EEC type approval number appearing on this document shall consist of all sections outlined in Annex VII to Directive 70/156/EEC as last amended by Directive 92/53/EEC. The component itself shall be marked as prescribed in the relevant separate Directive.
- (2) If the means of identification of type contains characters not relevant to describe the component types covered by this type approval certificate such characters shall be represented in the documentation by the symbol '?' (e.g. ABC??123??).

APPENDIX I

to EEC Type Approval Certificate No: e11*94/20*0951*01
concerning the component type-approval of mechanical coupling devices
with regard to Directive 94/20/EC

1. ADDITIONAL INFORMATION
 - 1.1 Class of type of coupling: J, 101.40.4
 - 1.2 Categories or types of vehicles for which the device is designed or restricted: N3
 - 1.3 Maximum D-value: 152 kN
 - 1.4 Maximum vertical load S at the coupling point: Not applicable
 - 1.5 Maximum load U at the fifth wheel coupling point: 20000 kg
 - 1.6 Maximum V-value: Not applicable
 - 1.7 Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles: See manufacturers documentation
 - 1.8 Information on the fitting of special towing brackets or mounting plates: See manufacturers documentation
5. Remarks⁽¹⁾: None

⁽¹⁾ Including information as to whether fifth wheel couplings are unsuitable for positive steering.